


## 1 Scope:

- 1.1 This specification is applicable to lead free and halogen free for zero milli-ohm resistor (Jumper) series metal alloy product only.
- 1.2 The product is for general purpose.


# 2 Explanation Of Part Numbers:



## 3 Product Specifications:

Туре	Number of Terminals	Rated Power at 70℃	Max Loading Current	Resistance (mΩ)	Operating Temperature Range
ACM0603	2	<u>1</u> W	28.9A	<0.30	-55~+150°C
ACM0805	2	<u>1</u> W	50.0 A	< 0.20	-55~+150°C
	2	<u>1</u> W	50.0 A	< 0.20	-55~+150°C
ACM1206	2	1 W	70.7 A	< 0.20	-55~+150°C
ACM2512	2	2 W	100.0 A	< 0.20	-55~+150°C
ACM2512	2	3 W	122.5 A	< 0.20	-55~+150°C

3.1 Power Derating Curve: Operating Temperature Range: - 55 ~+150 °C For resistors operated in ambient temperatures 70°C, power rating must be derated in accordance with the curve below:



## 3.2 Rating Current:


The following equation may be used to determine the DC (Direct Current) or AC (Alternating Current) currents (RMS, root mean square value) of normal rated power. However, if the result value exceeds the highest current of regulated standards, the highest normal rated power is to be used.

$$I = \sqrt{P/R}$$

I=Rating Current(A)
P= Rating Power(W)
R=Resistance(Ω)



# **4 Physical Dimensions:**



TVDE	Rated	Resistance	Dimensions(mm)				
TYPE	Power	Range(mΩ)	L	W	Н	Α	
ACM0603	$\frac{1}{4}$ W	< 0.3	1.60±0.1	0.80±0.1	0.35±0.15	0.30±0.15	
ACM0805	<u>1</u> W	< 0.2	2.03±0.2	1.27±0.2	0.35±0.15	0.40±0.15	
ACM1206	1 2 1 W	< 0.2	3.20±0.2	1.60±0.2	0.50±0.2	0.70±0.2	
ACM2512	2 W	< 0.2	6.35±0.2	3.05±0.2	0.60±0.2	1.40±0.2	
ACM2512	3 W	< 0.2	6.35±0.2	3.05±0.2	0.60±0.2	1.40±0.2	



# **5 Reliability Performance:**

# 5.1 Electrical Performance:

Test Item	Conditions of Test	Test Limits
	Applied Overload for 5 seconds and release the load for	LR0603:≦0.3 mΩ
	about 30 minutes, then measure its resistance variance rate. (Overload condition refer to below):	Others:≦0.2 mΩ
	Type Power (W) # of rated power	No evidence of mechanical damage
Short Time	ACM0603 1/4	
Overload	ACM0805 1/2	
Overload	ACM1206 1/2 4 times	
	ACM2512 2.0	
	ACM2512 3.0	
	Refer to JIS C 5201-1 4.13	
	Put the resistor in the fixture, add 100 VDC in + ,-	≥10 <sup>9</sup> Ω
Insulation	terminal for 60secs then measured the insulation	
Resistance	resistance between electrodes and insulating enclosure	
resistance	or between electrodes and base material.	
	Refer to JIS-C5201-1 4.6	
Dielectric	Applied 500VAC for 1 minute, and Limit surge current 50	No short or burned on the appearance.
Withstanding	mA (max.)	
Voltage	Refer to JIS-C5201-1 4.7	

## 5.2 Mechanical /Constructional Performance:

Test Item	Conditions of Test	Test Limits
	The tested resistor be immersed 25 mm/sec into molten	LR0603:≦0.3 mΩ
Resistance to	solder of 260±5°C for 10±1secs. Then the resistor is left	Others:≦0.2 mΩ
Solder Heat	in the room for 1 hour, and measured its resistance variance rate. Refer to JIS-C5201-1 4.18	No evidence of mechanical damage
	Add flux into tested resistors, immersion into solder bath	
Solderability	in temperature 245±5°C for 3±0.5secs. Refer to JIS-C5201-1 4.17	Solder coverage over 95%
	The resistor shall be mounted by its terminal leads to the	LR0603:≦0.3 mΩ
	supporting terminals on the solid table. The entire frequency range :from 10 Hz to 55 Hz and return to 10	Others:≦0.2 mΩ
Vibration	Hz, shall be transferred in 1 min. Amplitude: 1.5mm This motion shall be applied for a period of 4 hours in each 3 mutually perpendicular directions (a total of 12hrs) Refer to JIS-C5201-1 4.22	No evidence of mechanical damage
	The tested resistor be immersed into isopropyl alcohol of	LR0603:≦0.3 mΩ
Resistance to solvent	20~25°C for 60secs, then the resistor is left in the room	Others: $\leq$ 0.2 m $\Omega$
	for 48 hrs. Refer to JIS-C5201-1 4.29	No evidence of mechanical damage




## 5.3 Environmental Performance:

Test Item	Conditions of Test	Test Limits
Low Temperature	Put the tested resistor in chamber under temperature -55±2 $^{\circ}$ C for 1,000 hours. Then leaving the tested resistor	LR0603:≦0.3 mΩ
Exposure	in room temperature for 60 minutes, and measure its	Others:≦0.2 mΩ
(Storage)	resistance variance rate. Refer to JIS-C5201-1 4.23.4	No evidence of mechanical damage
High Temperature	Put tested resistor in chamber under temperature 150±5°C for 1,000 hours. Then leaving the tested	LR0603:≦0.3 mΩ
Exposure	resistor in room temperature for 60 minutes , and	Others:≦0.2 mΩ
(Storage)	measure its resistance variance rate. Refer to JIS-C5201-1 4.23.2	No evidence of mechanical damage
	Put the tested resistor in the chamber under the temperature cycling which shown in the following table	LR0603:≦0.3 mΩ
	shall be repeated 1,000 times consecutively. Then	Others:≦0.2 mΩ
Temperature	leaving the tested resistor in the room temperature for 60	No evidence of mechanical damage
Cycling (Rapid	minutes, and measure its resistance variance rate.	-
Temperature Change)	Testing Condition	
Gridinge)	Lowest Temperature -55 +0/-10°C	
	Highest Temperature 150 +10/-0°C	
	Refer to JIS-C5201-1 4.19	
Moisture	Put the tested resistor in chamber and subject to 10 cycles of damp heat and without power. Each one of	LR0603:≦0.3 mΩ
Resistance	which consists of the steps 1 to 7 (Figure 1). Then	Others: $\leq$ 0.2 m $\Omega$
(Climatic Sequence)	leaving the tested resistor in room temperature for 24 hr, and measure its resistance variance rate.  Refer to MIL-STD 202 Method 106	No evidence of mechanical damage
	Put the tested resistor in chamber under 85± 5°Cand 85±	LR0603:≦0.3 mΩ
Bias Humidity	5%RH with 10% bias and load the rated voltage for 90 minutes on, 30 minutes off, total 1,000 hours. Then	Others:≦0.2 mΩ
bias Humilialty	leaving the tested resistor in room temperature for 60 minutes, and measure its resistance variance rate. Refer to JIS-C5201-1 4.24	No evidence of mechanical damage


# 5.4 Operational Life Endurance:

Test Item	Conditions of Test	Test Limits	
	Put the tested resistor in chamber under temperature	LR0603:≦0.3 mΩ	
1 1116	70± 2°C and load the rated voltage for 90 minutes on 30	Others: $\leq$ 0.2 m $\Omega$	
	resistor in room temperature for 60 minutes, and	No evidence of mechanical damage	
	measure its resistance variance rate. Refer to JIS-C5201-1 4.25		



# 6 Marking (All the products marking are 1 digit):

6.1 ACM0805 / ACM0603



6.2 ACM1206 / ACM2512

 $\langle EX \rangle$  Marking $\rightarrow 0 = 0$ m  $\Omega$ 




# 7 Plating Thickness:

- 7.1 Ni>=2um
- 7.2 Sn(Tin)>=3um
- 7.3 Sn(Tin):Matte Sn



# 8 Packaging Tape Specifications:

# 8.1 Tape Dimensions:




Unit: mm

DIM Item	А	В	W	E	F	T1	T2	Р	P0	10*P0	P1
ACM0603	1.75±0.05	1.05±0.05	8.0±0.10	1.75±0.05	3.5±0.05	0.42+0.2/-0	0.42±0.10	4.0±0.10	4.0±0.10	40.0±0.10	2.0±0.05
ACM0805	2.30±0.10	1.55±0.10	8.0±0.20	1.75±0.10	3.5±0.05	0.42+0.2/-0	0.42±0.10	4.0±0.10	4.0±0.10	40.0±0.20	2.0±0.05
ACM1206	3.50±0.20	1.90±0.20	8.0±0.20	1.75±0.10	3.5±0.05	0.75+0.20/-0	0.75±0.10	4.0±0.10	4.0±0.10	40.0±0.20	2.0±0.05
ACM2512	6.70±0.20	3.40±0.20	12.0±0.20	1.75±0.10	5.5±0.05	1.10±0.15	0.23±0.05	4.0±0.10	4.0±0.10	40.0±0.20	2.0±0.10

## 8.2 Packaging Quantity:

Type	Tape Width	Packaging Quantity ( pcs/reel )		
Туре	rape widii	4 mm Pitch		
ACM0603	8 mm	5,000 pcs		
ACM0805	8 mm	5,000 pcs		
ACM1206	8 mm	4,000 pcs		
ACM2512	12 mm	4,000 pcs		


#### 8.3 Reel Dimensions:





Unit: mm Wa С M Α В D Reel Type / Tape  $2.0 \pm 0.5$  $17.7 \pm 0.5$ 7" reel for 8mm tape 12.0± 0.5 178 ± 1.0  $13.2 \pm 0.5$  $60.0 \pm 0.5$ 7" reel for 12mm tape 16.2± 0.5 178 ± 1.0  $2.5 \pm 0.5$  $13.5 \pm 0.5$  $17.7 \pm 0.5$  $60.0 \pm 0.5$ 24.0+2/-0 178 ± 1.0  $2.0 \pm 0.5$  $13.2 \pm 0.5$ 60.0 ±1.0 7" reel for 24mm tape  $17.7 \pm 0.5$ 

# 9 Technical note (This is for recommendation, please customer perform adjustment according to actual application)

- 9.1 Recommend soldering method:
- 9.1.1 Surface-mount components are tested for solderability at a temperature of 245 °C for 3 seconds. Typical examples of soldering processes that provide reliable joints without any damage are given in below:









Recommended double-wave Soldering Profile Typical values (solid line)
Process limits (dotted line)


#### 9.2 Recommend Land Pattern:




TYPE	Dimensions (mm)					
1166	Α	В	С			
ACM0603	2.60	0.90	0.90			
ACM0805	3.40	1.30	1.30			
ACM1206	4.00	1.50	1.80			
ACM2512	7.60	2.60	3.80			

- 9.3 Recommend dispensing method(LR2512/LR1206)
  - 9.3.1 The structure of RALEC metal alloy resistor that both side of main body would be thinner due to process factor (as the photo below).






9.3.2 When customer performs wave solder process shall take note on the dispensing gap. If the gap between two dispensing is over, the red-glue will not adhesive the resistor body and be dropped out (as photo 1). Therefore, we suggest customer to narrow down the dispenser gap (as photo 2), or dispenser on the body center (as photo 3)



#### 9.3.3 Product warranted solder area



#### 9.4 Environment Precautions:

This specification product is for general electronic use, RALEC will not be responsible for any damage, cost or loss caused by using this specification product in any special environment. If other applications need to confirm with RALEC.

If consumer intends to use our Company product in special environment or condition (including but not limited to those mentioned below), then will need to make individual recognition of product features and reliability accordingly.

- (a) Used in high temperature and humidity environment
- (b) Exposed to sea breeze or other corrosive gas, such as Cl2 · H2S · NH3 · SO2 and NO2.
- (c) Used in non-verified liquids including water, oil, chemical and organic solvents.
- (d) Using non-verified resin or other coating material to seal or coat our Company product.
- (e) After soldering, it is necessary to use water-soluble detergents to clean residual solder fluxes, even though no-clean fluxes are recommended.

## 9.5 Momentary Overload Precautions:

The product might be out of function when momentary overloaded. Please make sure to avoid momentary overloading while using and preserving.

## 9.6 Operation and Processing Precautions:

- (a) Avoid damage to the edge of resistor and protective layer caused by mechanical stress.
- (b) Handle with care when printing circuit board (PCB) is divided or fixed on support body, because bending of printing circuit board (PCB) mounting will make mechanical stress for resistors.
- (c) Make sure the power rating is under the limit when using the resistor. When power rating is over the limit, the resister will be overloaded. There might be machinery damage due to the climbing temperature.
- (d) If the resister will be exposed under massive impact load (shock wave) in a short period of time, the working environment must be set up well before use.
- (e) Please make evaluation and confirmation when the product is well used in your company and have a through consideration of it's fail-safe design to ensure the system safety.

## 10 Storage and Transportation requirement:

- 10.1 The temperature condition must be controlled at  $25\pm5^{\circ}$ C, the R.H. must be controlled at 60±15%. The stock can maintain quality level in two years  $^{\circ}$
- 10.2 Please avoid the mentioned harsh environment below when storing to ensure product performance and its' weldability. Places exposed to sea breeze or other corrosive gas, such as Cl2 \ H2S \ NH3 \ SO2 and NO2.
- 10.3 When the product is moved and stored, please ensure the correct orientation of the box. Do not drop or squeeze the box. Otherwise, the electrode or the body of the product may be damaged.

#### 11 Attachments:

11.1 Document Revise Record (QA-QR-027)

### Legal disclaimer

RALEC, its distributors and agents (collectively, "RALEC"), hereby disclaims any and all liabilities for any errors, inaccuracies or incompleteness contained in any product related information, including but not limited to product specifications, datasheets, pictures and/or graphics. RALEC may make changes, modifications and/or improvements to product related information at any time and without notice.

RALEC makes no representation, warranty, and/or guarantee about the fitness of its products for any particular purpose or the continuing production of any of its products. To the maximum extent permitted by law, RALEC disclaims (i) any and all liability arising out of the application or use of any RALEC product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for a particular purpose, non-infringement and merchantability.

RALEC defined this product is for general electrical use, not design for any application for automotive <u>electrical</u>, life-saving or life support equipment, or any application which may inflict casualties if RALEC product failure occurred. When consumer is using or selling products of RALEC without having discussion with the sales representatives and specifically stated the applicability mentioned above in a written form, then the client need to take a full responsibility and agree to protect RALEC from punishment and damage.

Information provided here is intended to indicate product specifications only. RALEC reserves all the rights for revising this content without further notification, as long as products are unchanged. Any product change will be announced by ECN.